

PA000364

002260 TT589960

10 A




Fig. 1




Fig. 2




Fig. 3A




Fig. 4A




Fig. 7A




Fig. 11




Fig. 4B




Fig. 5A







Payment & Registration		
Which Eudora is right for you?		
		
Sponsored Mode (free, with ads)	Paid Mode (costs money, no ads)	Light Mode (free, fewer features)
Keeping Current		
		
Register with Us	Customize the Ads You See	Find the Latest Update to Eudora
Your Registration Information		
<div> <input type="text"/> </div> <div> <input type="text"/> </div>		
<div> <input type="button" value="Take me to the Eudora website for more information"/> </div>		

Fig. 5B




Fig. 5C




Fig. 5D




Fig. 5E

Thank you for your registration!

To complete your registration, please enter the name you ordered and your registration code below.

The exact name you registered under:

First Name:

John

Last Name:

Manyjars

Your registration code:

48925-89A2-B1149

I Lost the Code

Cancel

OK

Fig. 5F




Fig. 5G




Fig. 6A




Fig. 6B




Fig. 7B




Fig. 8




Fig. 9




Fig. 10

002260" TFS89960










Link History		
Type	Date Visited	
 Apple Computer	Wed, Sep 1, 1999, 4:48 PM	
 ftp.qualcomm.com/eudora	Today, 11:25 AM	
 Qualcomm Store	Wed, Sep 1, 1999, 4:48 PM	
 Mac OS Rumors	ASAP!	
 moudz lak@qualcomm.com	Today, 11:23 AM	
 www.qualcomm.com/products	Wed, Sep 1, 1999, 4:48 PM	
 www.eudora.com	Attempted	
		 View  Remove

Fig. 12A

You Can't Get There From Here

You're not connected to the Internet now. Help me cope.
connect you and visit the site, record a bookmark for later
remind you to visit it next time you are connected.

Visit Now

Connect to the Internet and visit the site

Bookmark

Bookmark this site to visit later

Remind Me

Bookmark the site, and remind you to visit the site
you're connected to the Internet

☐ Remember your choice for next time

Fig. 12B

Assumptions	
Average Connec. Speed, Mbps	28.8
Average Ad Size, Kbytes	9.3
Number of Users	3,000,000
Number of Hours Running Eudora	2
Number Mailchecks Per User Per Hour	2
Playline Entry Size, Bytes	500

Fig. 13A

# of New Ads Per User Per Day	Implications					
	3X Users		Avg Sim. Playline		3X Users	
	4 Seconds Download Check	Ad Size	Ad Size	Ad Size	Ad Size	Ad Size
10	26	10	101	1.3	3.6	5
15	39	13	135	1.7	4.8	7
20	52	16	180	2.3	6.0	9
25	65	19	202	2.5	7.2	11
30	78	23	235	2.9	8.4	12
35	90					

Fig. 13B




Fig. 14

09568511.092200

```
////////////////////////////////////
// Main ad scheduler
ScheduleMain
{
  // Has a new day dawned?
  Do CheckForNewDay
  // Are we within the current ad's showFor?
  if ( ad.thisShowTime < ad.showFor )
  {
    // there is nothing to be done
    return
  }
  // At this point, we know that we need a new ad
  // Perform housekeeping tasks on the old one
  Do AdEndBookkeeping
  // Pop out of a block if all ads on par
  if ( block isn't all playlists )
  {
    find ad with minimum ad.numberShown
    if ( ad.numberShown >= blockGoal )
    set block to all playlists
  }
  // If we are over our quota of regular ads for the day,
  // look for a runout
  if ( adFaceTimeToday > faceTimeQuota )
  {
    Do ShowARunout
  }
  else
  {
    Do ShowARegularAd
  }
}
// end ad schedule main
```

Fig. 15A

002200 11589950

```
////////////////////////////////////
// We must perform certain tasks when the calendar day
changes.
CheckForNewDay
{if ( the calendar day has changed )
{
// Perform housekeeping tasks on the ad currently showing
Do StopShowingCurrentAd
// Runout ads are charged for a full showFor if they've been
shown
// at all on a given day. Charge any runout ads if they've
been
// shown at all.
for runout ads
{
if ( ad.thisShowTime > 0 )
{
ad.totalTimeShown += ad.showFor
ad.thisShowTime = 0
}
}
// Now, reset the counters for all ads to reflect the fact
that
// a new day has dawned.
for all ads
{
ad.numberShownToday = 0
}
// Record yesterday's facetime
// Might not literally be yesterday, be sure to use
// whatever day the app was last run on
set old current day's facetime to totalFaceTimeToday
// and reset our global regular ad facetime counter
adFaceTimeToday = 0
totalFaceTimeToday = 0
// if we were in a block, back out
set block to all playlists
}
}
// end CheckForNewDay
```

Fig. 15B

002260 1158950
0566511 092200

```
////////////////////////////////////
// Rerun state. Look for a regular ad to rerun
ShowARerun
{
for regular ads [ in current block ]
{
// has the ad been flushed?
if ( ad.flushed )
try next ad
// is this ad recent enough to rerun?
if ( ad.lastShownDate is older than returnInterval )
try next ad
// this one is too old to rerun
// if in block, show ads only if it's their "turn"
if ( ad.numberShownToday >= blockGoal )
try next ad // need to find a friend in this block
// are we between the ad's start and end dates?
if ( ad.startDate < the current date < ad.endDate )
try next ad
// the ad is not supposed to run today
// do we actually HAVE the ad?
if ( ad has not been downloaded )
{
ask for ad to be downloaded
try next ad
}
// ok, at this point we can show this ad, but because
// we're in rerun, we don't keep the books
Do ShowAnAd
return
}
// if we get here, we have no ads to show. Punt.
return
}
// end ShowARerun
```

Fig. 15D

002250" TFS99960

```
////////////////////////////////////
// Show a regular ad
ShowARegularAd
{
  for regular ads [ in current block ]
  {
    // has the ad been flushed?
    if ( ad.flushed )
    try next ad
    // are we done showing this ad today?
    if ( ad.numberShownToday > ad.dayMax )
    try next ad // this one's used up for the day
    // if in block, show ads only if it's their "turn"
    if ( ad.numberShownToday >= blockGoal )
    try next ad // need to find a friend in this block
    // are we done showing this ad for ever and ever?
    if ( ad.shownFor > ad.showForMax )
    try next ad // this one's used up forever
    // are we between the ad's start and end dates?
    if ( ad.startDate < the current date < ad.endDate )
    try next ad
    // the ad is not supposed to run today
    // do we actually HAVE the ad?
    if ( ad has not been downloaded )
    {
      ask for ad to be downloaded
      try next ad
    }
    // ok, we believe we should show this ad
    // we are now in regular state
    Do ShowAnAd
    return
  }
  // If we get here, we have failed to find a regular
  // ad. Go to runout
  Do ShowARunout
}
// end ShowARegularAd
```

Fig. 15E

```

////////////////////////////////////
// Perform necessary housekeeping when we're taking
// down an ad
AdEndBookkeeping
{
// In rerun state, we don't do any bookkeeping
if ( in RerunState )
return
// Account for at most ad.showFor seconds, provided
// we've shown the ad for at least ad.showFor seconds
// Note that this means we don't charge for time beyond
// ad.showFor seconds, which is important
if ( ad.thisShowTime >= ad.showFor )
{
ad.numberShownToday += ad.showFor
ad.shownFor++
// we do NOT reset thisShowTime here, we do it in
// AdStartBookkeeping. It actually doesn't matter where
// we do it, provided we are careful NOT to do it for
// runout ads.
}
}
// end AdEndBookkeeping

```

Fig. 15F

09668511 092200

```

////////////////////////////////////
// Show an ad, including bookkeeping and block handling
ShowAnAd
{
// If the ad is in a block, notice that
if ( it's in a "block" playlist )
{
if ( not currently in a block )
{
find ad in block with minimum numberShown
make that our ad
set blockGoal to minimum numberShown+1
}
set current block to this playlist
}
// now do bookkeeping
Do AdStartBookkeeping
// and actually show it
Do DisplayThatAd
}

```

Fig. 15G

002260 T589960

```

////////////////////////////////////
// Perform housekeeping when we put up an ad
AdStartBookkeeping
{
// In rerun state, we don't do any bookkeeping
if ( in RerunState )
return
// For regular ads
if ( it's a regular ad )
{
ad.thisShowTime = 0
ad.lastShownDate = now
}
}
// end AdStartBookkeeping

```

Fig. 15H

002260 T582960

Persistent Ads	
PlayList Request	faceTime: Used to determine how much advertising to send to client faceTimeLeft: Not used
PlayList Response ClientInfo	reqInterval: Relatively large: one or more days flush Used. Single playlist completely specifies list of ads client should have
PlayList Response Scheduling Parameters	showForMax: Not used

Fig. 16A

Short-Lived Ads	
PlayList Request	faceTime: Not used faceTimeLeft: Used to determine how many ads client should receive
PlayList Response ClientInfo	reqInterval: Not used. Instead, client requests new playlist whenever ads "run low" flush: Not used
PlayList Response Scheduling Parameters	showForMax: Used to determine how long an ad runs

Fig. 16B




Fig. 17A




Fig. 17B




Fig. 17C

We'd like to know how you use Eudora.

In order to make Eudora work as well as possible, it's important that we know how people use it. We ask users for this information at random. Looks like it's your turn. If you're open to helping us this way, all you have to do is click "Generate Info" below and a message will be created. You can review the contents of the message if you like, and then send it to us or not -- that's up to you.

We value our privacy; we're pretty sure you value yours. So we want you to know what we'll be collecting and give you a chance to eliminate anything you don't want to send. Simply uncheck the boxes next to any information you'd rather not send.

Please understand that as soon as we receive your email, we will throw away the headers that identify the mail as coming from you. You see, we don't actually need to know who you are to find your information helpful. So we promise to protect your privacy and turn you into "just a number."

It's OK to transmit statistics regarding:

☒ Your demographic data
 ☒ Your Net/Eudora usage

☒ Advertisement information
 ☒ Eudora features you use

☒ Non-personal settings

Cancel

Generate Info

Fig. 18A

Page	Applicable Query Parts												topic			
	action	platform	product	version	distributor	mode	realname	email	regfirst	reglast	regcode	oldReg	regLevel	profile	url	adid
Payment	pay	X	X	X	X	X	X	X	X	X	X	X				
Freeware Registration	register-free	X	X	X	X	X	X	X	X	X	X					
Adware Registration	register-ad	X	X	X	X	X	X	X	X	X	X					
Box Registrations	register-box	X	X	X	X	X	X	X	X	X	X					
Lost Code	lostcode	X	X	X	X	X	X	X	X	X	X	X				
Update	update	X	X	X	X	X							X			
Pro Update	proudate	X	X	X	X	X							X			
Archived	archived	X	X	X	X	X										
Profile	profile	X	X	X	X	X	X	X						X		
Introduction	intro															
Support	n/a	X	X	X	X	X	X	X	X	X	X	X				no-qt
QuickTime Missing	support	X	X	X	X											ad-fail
Ad Failure	support	X	X	X	X	X										tutor
Tutorial	support	X	X	X	X	X										faq
FAQ	support	X	X	X	X	X										light
Light Users	support	X	X	X	X	X										search
Search Support	support	X	X	X	X	X										usenet
Newsgroups	support	X	X	X	X	X										

Fig. 19




Fig. 20

- ⌘ The list of available ads advantageously can be built from the following query:
- ```
ads = dbCon.prepareStatement("SELECT * FROM ads WHERE StartDate <= today AND endDate >= today + 30 AND AdType = 'P' AND AdStatus = 'A' AND ImpressionsServed < Impressions ORDER BY ImpressionsServed ASC);
```
- run out ads = dbCon.prepareStatement("SELECT \* FROM ads WHERE StartDate <= today AND endDate >= today + 30 AND AdType = 'R' AND AdStatus = 'A' AND ImpressionsServed < Impressions ORDER BY ImpressionsServed ASC);
- ⌘ The time required to deliver the ads advantageously can be calculated in the following manner.
- face time left for today [seconds] = faceTime[today] – faceTimeUsedToday
- (Comment: Face time left for today is the number of seconds the servlet can use to deliver special ads today.)
- predict face time [seconds] = SUM( faceTime[tomorrow] , faceTime[tomorrow + 1] , ... faceTime[tomorrow + reqInterval] )
- (Comment: Predict face time is the number of seconds the servlet predicts the user is going to have.)
- goal show time left [seconds] = predict face time – faceTimeLeft
- (Comment: Goal show time left is the number of seconds that the software provider needs to fill with ads.)

Fig. 21A

```
8 Targeting
 while (face time left for today) {
 if ad is not in the history {
 select ad [according to target = today]
 face time left for today -= ad.showFor
 }
 next ad
 }

 while (Goal show time left) {
 if ad is not in the history {
 select ad [according to target]
 goal show time left -= ad.showFor
 }
 next ad
 }
```

Default values:

```
reqInterval = 1 day.
faceTime = 30 minutes
faceTimeQuota is ?
histLength = 31 days
```

Fig. 21B






Fig. 22




Fig. 23